
ZINTL

PREMIUM INTERLOCKING ALUMINIUM CLADDING SYSTEM




C O L O U R C A R D





ZINTL® COLOUR RANGE




Zintl® interlocking aluminium cladding system is offered in a wide range of Interpon and Dulux powder coated finishes, as well as a selection of anodized and wood grain architectural finishes, providing a beautifully refined aesthetic.

With its mix of natural bold and subtle hues, Zintl® is perfect for a wide range of applications and suits

any budget. Its durability makes it particularly well suited for coastal properties and high traffic areas.

All Zintl® aluminium cladding powder coatings are applied on a project basis with a standard lead time of approximately 12 days.

POWDER COATING INFORMATION



Further information regarding specifications and warranties can be found at the following websites:


Interpon link: https://www.specifyinterpon.com.au/warranties/architectural-aluminium

Dulux Link: https://www.duluxpowders.com.au/specifications

Or call our advice line on 1300 881 712.

FUTURA

Meeting the needs of the most demanding projects and developed specifically for architectural applications, Futura boasts an array of colour and finish options with the added benefit of superior performance.




I Interpon
D Dulux
S Stocked product

O Made to order product

 $[\]textbf{CB} \quad \textbf{Colorbond} \\ \textbf{@} \text{ and the Colorbond colour names are registered trademarks of Bluescope Steel Limited} \\$

Colours displayed on this colour card are a guide only and have been matched as close as possible to production standards under daylight conditions. Due to the nature of the printing process some degree of colour and gloss level variation may occur. Where more than one finish is available product colour may vary. We recommend that you use production line prepared samples for final colour selection or approval.

FUTURA (CONTINUED)




Colours displayed on this colour card are a guide only and have been matched as close as possible to production standards under daylight conditions. Due to the nature of the printing process some degree of colour and gloss level variation may occur. Where more than one finish is available product colour may vary. We recommend that you use production line prepared samples for final colour selection or approval.

D Dulux
S Stocked product
Made to order product

 $[\]textbf{CB} \quad \textbf{Colorbond} \\ \textbf{@} \text{ and the Colorbond colour names are registered trademarks of Bluescope Steel Limited} \\$


FLAT MATT

The distinctive non-reflective surface of Flat Matt combined with the interaction of light delivers new aesthetic possibilities. Using ground-breaking technology, the Flat Matt range offers amazing durability in the harshest of environments.



COLOUR VITALITY

Designed for impact and boldness, Colour Vitality also boasts outstanding colour fastness and fade resistance. Available in satin and high gloss finishes.



I Interpon
D Dulux

Colours displayed on this colour card are a guide only and have been matched as close as possible to production standards under daylight conditions. Due to the nature of the printing process some degree of colour and gloss level variation may occur. Where more than one finish is available product colour may vary. We recommend that you use production line prepared samples for final colour selection or approval.

 $[\]textbf{CB} \ \ \text{Colorbond} \\ \ \text{and the Colorbond colour names are registered trademarks of Bluescope Steel Limited} \\$

S Stocked product of the printing
O Made to order product you use prod

ELECTRO

A unique anodised look designed to subtly change in appearance as light conditions alter in the day delivered with warranty grade advanced super durable polyester thermosetting powder.



Made to order product

Interpon
Dulux
Stocked product

CB Colorbond® and the Colorbond colour names are registered trademarks of Bluescope Steel Limited

Colours displayed on this colour card are a guide only and have been matched as close as possible to production standards under daylight conditions. Due to the nature of the printing process some degree of colour and gloss level variation may occur. Where more than one finish is available product colour may vary. We recommend that you use production line prepared samples for final colour selection or approval.


ZINTL

PREMIUM INTERLOCKING ALUMINIUM CLADDING SYSTEM









hvgfacades.com.au | 1300 881 712

SYDNEY

29 Henderson Street Turrella NSW 2205 MELBOURNE

25 West Park Drive Derrimut VIC 3026 BRISBANE

128 Mica Street Carole Park QLD 4300 PERTH

72 Bushland Ridge Bibra Lake WA 6163 ADELAIDE

57 Barnes Avenue Marleston SA 5033

HVG Facades Pty Ltd.

Version 2.0